All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Man gymbol and				Hydric soils criteria				
Map symbol and map unit name	Component	Hydric	Local landform	Hydric criteria code	Meets saturation criteria	Meets flooding criteria		
AaA:								
ALCESTER SILT LOAM	ALCESTER CHANCELLOR TETONKA	No Yes Yes	flood plain pothole	 2A 2B3,3	YES YES	NO NO	NO YES	
AcA: ALCESTER-CHANCELLOR COMPLEX	ALCESTER	No						
COMPLEX	CHANCELLOR HOMME TETONKA	Yes No Yes	flood plain  pothole	2A  2B3,3	YES  YES	NO  NO	NO  YES	
Bn:				,				
BON LOAM	BON ENET LAMO	No No No	 	 		 	 	
Bo: BON LOAM, CHANNELED	BON SALMO	No Yes	 flood plain	 2B3	 YES	 NO	 NO	
Br: BONILLA-CROSSPLAIN COMPLEX	BONILLA	No						
COMPLIEX	CROSSPLAIN CLARNO	No No				 		
	DAVISON TETONKA	No Yes	 pothole	2B3,3	YES	 NO	YES	
BsE: BOYD-SANSARC CLAYS, 15 TO 40 PERCENT	BOYD	No						
SLOPES	SANSARC	No						
	BETTS	No						
	CROFTON	No						
	ETHAN GAVINS	No No						
	ROCK OUTCROP,	Unrank ed						
	SOFT THURMAN	No						
CmA:								
CLARNO-BONILLA LOAMS, 0 TO 2 PERCENT SLOPES	CLARNO	No						
	BONILLA	No						
	CROSSPLAIN	No						
	DAVISON TETONKA	No Yes	 pothole	2B3,3	YES	NO	YES	
CmB:	TETOMICA	169	POCHOTE	۵, د ط	120	110	120	
CLARNO-BONILLA LOAMS, 2 TO 6 PERCENT SLOPES	CLARNO	No						
220110	BONILLA	No						
	CROSSPLAIN	No						
	ETHAN	No						
	TETONKA	Yes	pothole	2B3,3	YES	NO	YES	

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Man symbol and				Hydric soils criteria			
Map symbol and map unit name	Component	Hydric	Local landform	Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
CnA: CLARNO-CROSSPLAIN- DAVISON COMPLEX, 0 TO 3 PERCENT SLOPES	CLARNO	No					
TO STERCEM DECIDE	CROSSPLAIN DAVISON BONILLA ETHAN TETONKA	No No No No Yes	   pothole	   2B3,3	   YES	   NO	   YES
CsB:	IETONKA	165	pochore	203,3	155	INO	TES
CLARNO-ETHAN-BONILLA LOAMS, 2 TO 6 PERCENT SLOPES	CLARNO	No					
1210211 020120	ETHAN BONILLA	No No	 				
	CROSSPLAIN DAVISON	No No	 	 2D2 2		 	 VEC
DaB:	TETONKA	Yes	pothole	2B3,3	YES	NO	YES
DAVIS LOAM, 0 TO 6 PERCENT SLOPES	DAVIS	No					
	CLARNO LAMO	No No					
D- G.	SALMO	Yes	flood plain	2B3	YES	NO	NO
DaC: DAVIS LOAM, 6 TO 15 PERCENT SLOPES	DAVIS	No					
TERROLLI SECTES	CLARNO	No					
	ETHAN	No					
DlC:	LAMO	No					
DELMONT-TALMO LOAMS, 6 TO 9 PERCENT SLOPES	DELMONT	No					
	TALMO	No					
	BETTS	No No					
EaA:	CLARNO	INO					
ELTREE SILT LOAM, 0 TO 2 PERCENT SLOPES	ELTREE	No					
	HOMME	No					
	CROFTON TETONKA	No Yes	 pothole	2B3,3	YES	NO	YES
EaB: ELTREE SILT LOAM, 2	ELTREE	No					
TO 6 PERCENT SLOPES	CROFTON	No					
	HOMME TETONKA	No Yes		2D2 2	YES	NO	VEC
EbC: ELTREE-ETHAN COMPLEX, 6 TO 9 PERCENT	ELTREE	Yes No	pothole 	2B3,3	YES	NO	YES
SLOPES	ETHAN	No					
	CROFTON	No					

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Man gumbol and				Hydric soils criteria				
Map symbol and map unit name	Component	Hydric	Local landform	Hydric criteria code	Meets saturation criteria	Meets flooding criteria		
EbE:								
ELTREE-ETHAN COMPLEX, 9 TO 40 PERCENT SLOPES	ELTREE	No						
SHOFES	ETHAN	No						
	BON	No						
	CROFTON	No						
EcD:								
ELTREE-CROFTON SILT LOAMS, 9 TO 15 PERCENT SLOPES	ELTREE	No						
	CROFTON	No						
	BON	No						
-1-	ETHAN	No						
Eda: ENET-DELMONT LOAMS, 0 TO 2 PERCENT SLOPES	ENET	No						
	DELMONT	No						
	CLARNO	No						
_	TETONKA	Yes	pothole	2B3,3	YES	NO	YES	
EdB: ENET-DELMONT LOAMS, 2 TO 6 PERCENT SLOPES	ENET	No						
TO O TENCENT DESCRIB	DELMONT	No						
	CLARNO	No						
	TETONKA	Yes	pothole	2B3,3	YES	NO	YES	
EhB: ETHAN-ALCESTER COMPLEX, 1 TO 6	ETHAN	No						
PERCENT SLOPES	AT GEGEED	Mo						
	ALCESTER   CLARNO	No No						
	CHANCELLOR	Yes	flood plain	2A	YES	NO	NO	
	TETONKA	Yes	pothole	2B3,3	YES	NO	YES	
EhC:			1	,				
ETHAN-ALCESTER COMPLEX, 1 TO 9 PERCENT SLOPES	ETHAN	No						
	ALCESTER	No						
	CHANCELLOR	Yes	flood plain	2A	YES	NO	NO	
	CLARNO	No						
EmE: ETHAN-BETTS LOAMS, 15 TO 40 PERCENT SLOPES	ETHAN	No						
10 10 IERCENT SHOPES	BETTS	No						
	BON	No						
	DAVIS	No						
	GAVINS	No						
FnC:	TALMO	No						
EnC: ETHAN-BONILLA LOAMS, 1 TO 9 PERCENT	ETHAN	No						
SLOPES	BONILLA	No						
	CLARNO	No						
	CROSSPLAIN	No						
	TETONKA	Yes	pothole	2B3,3	YES	NO	YES	

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Man gumbal and				Hydric soils criteria				
Map symbol and map unit name	Component	Hydric	Local landform	Hydric criteria code	Meets saturation criteria		Meets ponding criteria	
EoD: ETHAN-DAVIS LOAMS, 9 TO 15 PERCENT SLOPES	ETHAN	No						
10 13 PERCENT SHOPES	DAVIS TALMO	No No						
Transition of the state of the	THURMAN	No						
EpC: ETHAN-HOMME COMPLEX, 6 TO 9 PERCENT SLOPES	ETHAN	No						
010110	HOMME CHANCELLOR DAVISON	No Yes No	 flood plain	2A	YES	NO 	NO	
	ONITA TETONKA	No Yes	 pothole	2B3,3	YES	NO	 YES	
Fv: NORWAY LOAMY FINE SAND, FREQUENTLY FLOODED	NORWAY	Yes	flood plain	2B2,4	YES	YES	NO	
GeE: GAVINS-ETHAN LOAMS, 15 TO 40 PERCENT SLOPES	GAVINS	No						
	ETHAN	No						
	CROFTON	No						
	DAVIS REDSTOE VARIANT	No No						
	TALMO THURMAN	No No	 					
GraceVille Silty CLAY LOAM, 0 TO 2 PERCENT	GRACEVILLE	No						
SLOPES	DELMONT ENET	No No	 					
	ONITA	No						
HmA: HOMME-DAVISON-TETONKA COMPLEX, 0 TO 3 PERCENT SLOPES	HOMME	No						
PERCENT SHOPES	DAVISON TETONKA ONITA	No Yes No	pothole	2B3,3	YES	NO	YES	
HnB: HOMME-ETHAN-ONITA COMPLEX, 1 TO 6	CHANCELLOR   HOMME	Yes No	flood plain	2A 	YES	NO 	NO 	
PERCENT SLOPES	ETHAN ONITA CHANCELLOR	No No Yes	  flood plain	  2A	  YES	 NO	 NO	
	DAVISON   TETONKA	No Yes	  pothole	2B3,3	YES	NO	YES	

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

				Hydric soils criteria				
Map symbol and map unit name	Component	Hydric	Local landform	Hydric criteria code	Meets saturation criteria		Meets ponding criteria	
HpB: HOMME-ETHAN-TETONKA COMPLEX, 0 TO 6 PERCENT SLOPES	НОММЕ	No						
	ETHAN TETONKA CHANCELLOR DAVISON ONITA	No Yes Yes No No	pothole flood plain	2B3,3 2A 	YES YES 	NO NO 	YES NO	
HpC: HOMME-ETHAN-TETONKA COMPLEX, 0 TO 9 PERCENT SLOPES	НОММЕ	No						
	ETHAN TETONKA CHANCELLOR DAVISON ONITA	No Yes Yes No No	pothole flood plain	2B3,3 2A	YES YES	NO NO 	YES NO	
HrA: HOMME-ONITA SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES	НОММЕ	No						
	ONITA CHANCELLOR DAVISON TETONKA	No Yes No Yes	flood plain  pothole	2A  2B3,3	YES  YES	NO NO	NO  YES	
HrB: HOMME-ONITA SILTY CLAY LOAMS, 1 TO 6 PERCENT SLOPES	НОММЕ	No						
	ONITA CHANCELLOR DAVISON ETHAN TETONKA	No Yes No No Yes	flood plain pothole	2A 22A 2B3,3	YES YES YES	NO NO NO	NO NO YES	
Hta: HOMME-ONITA-TETONKA COMPLEX, 0 TO 3 PERCENT SLOPES	HOMME	No						
	ONITA TETONKA CHANCELLOR DAVISON	No Yes Yes No	pothole flood plain	2B3,3 2A	YES YES	NO NO	YES NO	
La: LAMO SILT LOAM	LAMO SALMO	No Yes	 flood plain	 2B3	 YES	 NO	 NO	
M-W: MISCELLANEOUS WATER	Miscellaneou s Water							
Oca: ONITA-CHANCELLOR SILTY CLAY LOAMS	ONITA	No						
	CHANCELLOR DAVISON HOMME TETONKA	Yes No No Yes	flood plain pothole	2A  2B3,3	YES   YES	NO   NO	NO   YES	

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and				Hydric soils criteria				
map unit name	Component	Hydric		Hydric criteria code	Meets saturation criteria	Meets flooding criteria		
ReD:								
REDSTOE VARIANT- GAVINS COMPLEX, 6 TO 25 PERCENT SLOPES	REDSTOE VARIANT	No						
25 FERCENT SHOFES	GAVINS	No						
	BON	No						
	ETHAN	No						
Sa:	SANSARC	No						
SALMO SILTY CLAY LOAM	SALMO	Yes	flood plain	2B3	YES	NO	NO	
DADI-10 BIBII CDAI DOAF	ALCESTER	No						
	BON	No						
	ENET	No						
Gl	LAMO	No						
Sb: SARDAK-WAUBONSIE COMPLEX	SARDAK	No						
COM DEX	WAUBONSIE	No						
	NORWAY	Yes	flood plain	2B2,4	YES	YES	NO	
	PERCIVAL	No	flood plain					
TaE: TALMO-DELMONT LOAMS, 15 TO 40 PERCENT SLOPES	TALMO	No						
SLOPES	DELMONT BETTS	No No						
TbE: TALMO-ETHAN VERY STONY COMPLEX, 6 TO	TALMO	No						
40 PERCENT SLOPES	   ETHAN	No						
	CLARNO	No						
	DAVIS	No						
	THURMAN	No						
Te:								
TETONKA SILT LOAM	TETONKA	Yes	pothole	3,2B3	YES	NO	YES	
	ONITA	No No	 					
	BONILLA  DAVISON	No No						
	CHANCELLOR	Yes	flood plain	2A	YES	NO	NO	
	CROSSPLAIN	No						
ThC: THURMAN LOAMY SAND, 6 TO 15 PERCENT SLOPES	THURMAN	No						
10 10 I DRCENT SHOPES	DAVIS	No						
	DELMONT	No						
	ETHAN	No						
mb E •	TALMO	No						
The: THURMAN LOAMY SAND, 15 TO 40 PERCENT SLOPES	THURMAN	No						
	DAVIS	No						
	DELMONT	No						
	ETHAN	No						
W:	TALMO	No						
WATER	WATER	Unrank ed						

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Man gembal and				Hydric soils criteria				
Map symbol and map unit name	Component	Hydric	Local landform	Hydric criteria code	Meets saturation criteria	Meets flooding criteria		
Wg:								
WORTHING SILTY CLAY	WORTHING	Yes	pothole	2B3,3	YES	NO	YES	
	CHANCELLOR CROSSPLAIN	Yes No	flood plain	2A	YES	NO 	NO 	
	ONITA	No						
	TETONKA	Yes	pothole	3,2B3	YES	NO	YES	
Wo:			.,, ,	0=0				
WORTHING SILTY CLAY LOAM, PONDED	WORTHING	Yes	pothole	2B3,3	YES	NO	YES	
	TETONKA	Yes	pothole	3,2B3	YES	NO	YES	
YaA: YANKTON-ALCESTER SILT LOAMS, 0 TO 2 PERCENT SLOPES	YANKTON	No						
1210211 220122	ALCESTER	No						
	CHANCELLOR ENET	Yes No	flood plain	2A	YES	NO 	NO 	
	TETONKA	Yes	pothole	2B3,3	YES	NO	YES	
YaB:			_					
YANKTON-ALCESTER SILT LOAMS, 1 TO 6 PERCENT SLOPES	YANKTON	No						
	ALCESTER	No						
	CHANCELLOR	Yes	flood plain	2A	YES	NO	NO	
	ETHAN	No						
	ENET	No						
	TETONKA	Yes	pothole	2B3,3	YES	NO	YES	

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States"(USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote todetermine the meaning of these columns. Spot symbols are footnoted at the end of the table.

Map symbol and			HZ	ydric soils	criteria	
map unit name	Hydric	landform	Hydric criteria code	Meets saturation criteria		

FOOTNOTE: There may be small areas of included soils or miscellaneous areas that are significant to use an management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are defined in the published Soil Survey Report or the USDA-NRCS Technical Guide, Part II.

Areas mapped as water or any map unit that contains one of the following conventional symbols is considered a hydric soil map unit: marshes or swamps; wet spots; depressions; streams, lakes and ponds.

- 1. All Histosols except Folists, or
- 2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Aquisalids, Pachic subgroups, or Cumulic subgroups that are:
  - a. Somewhat poorly drained with a water table equal to 0.0 foot (ft) from the surface during the growing season, or
  - b. poorly drained or very poorly drained and have either:
    - (1) water table equal to 0.0 ft during the growing season if textures are coarse sand, sand, or fine sand in all layers within 20 inches (in),
    - (2) water table at less than or equal to 0.5 ft from the surface during the growing season if permeability is equal to or greater than 6.0 in/hour (h) in all layers within 20 in, or
    - (3) water table at less than or equal to 1.0 ft from the surface during the growing season if permeability is less than 6.0 in/h in any layer within 20 in, or
- 3. Soils that are frequently ponded for long duration or very long duration during the growing
- 4. Soils that are frequently flooded for long duration or very long duration during the growing